


# PHNIX




## EasyLine E

### Swimming Pool Heat Pump



#### Easy Control

EasyLine E has a simple and clear LED display, users can know about the unit status easily.



#### Bluetooth

With bluetooth configured in the heat pump, the units can be connected with PHNIX smart app to realize mobile control.



#### Double Refrigerants

The units are specially developed to fit both R32 and R410A gas, which brings great convenience for markets.



#### Cost Effective

With a COP of up to 5.0, the units save energy and maintain cost-effective for users.

# EasyLine E



PHNIX EasyLine E		010-P-AI	015-P-AI	020-P-AI	030-P-AI	035-P-AI	040-P-AI	045-P-AI	
Advised Pool Volume	m <sup>3</sup>	17	25	35	45	58	65	78	
Operating Air Temperature	°C	-7~43							
Performance condition: Air 27°C/Water 26°C/Humidity 80%									
Heating Capacity	kW	3.40	5.00	8.00	11.00	12.30	13.90	15.50	
Heating Capacity	Btu	11560	17000	27200	37400	41820	47260	52700	
Consumed Power	kW	0.66	0.96	1.55	2.16	2.33	2.69	2.98	
COP	/	5.15	5.20	5.16	5.10	5.28	5.17	5.20	
Heating capacity: Air 24°C/Water 26°C/Humidity 62%									
Heating Capacity	kW	2.90	4.40	7.00	9.50	10.50	12.40	13.60	
Heating Capacity	Btu	9860	14858	23800	32300	35700	42160	46240	
Consumed Power	kW	0.60	0.91	1.45	2.00	2.24	2.59	2.78	
COP	/	4.83	4.80	4.83	4.75	4.68	4.79	4.89	
Performance condition: Air 15°C/Water 26°C/Humidity 70%									
Heating Capacity	kW	2.60	3.40	5.20	7.60	8.40	10.80	12.10	
Heating Capacity	Btu	8840	11560	17680	25840	28560	36720	41140	
Consumed Power	kW	0.77	0.9	1.33	1.97	2.27	2.89	3.18	
COP	/	3.40	3.78	3.90	3.85	3.70	3.74	3.80	
Power Supply	/	220-240V~/1Ph~50Hz							
Casing Type	/	Sheet metal							
Refrigerant Type	/	R32 or R410A							
Water Connection	mm	50							
Fan Quantity	/	1							
Fan Speed	RPM	870	870	810	810	810	810	810	
Sound Pressure 1m	dB(A)	49	51	53	54	55	56	56	
Net Dimensions L/W/H	mm	805×300×545			850×320×700			1165×480×820	

GUANGDONG PHNIX ECO-ENERGY SOLUTION LTD.  
 TEL: +86-4009-4009-00 FAX: +86-20-39067770  
 E-mail: phnixen@phnix-e.com Website: www.phnix-e.com



V202003SP01